

The Commercial
LED Lighting Specialist

Superlight[®]

LED BULB LIGHTS

PRODUCT CATEGORY DATA SHEET



PRODUCT DATA SHEET

Clear Candle | 4W

FEATURES:

Brand	Superlight
Wattage	4W
Equiv. Wattage	Halogen 25W
Voltage	220-240V AC
Lamp Base	E14
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	250Lm
Colour	3000K
Dimensions	φ37x109mm
Warranty	One year

Model Number

CLR LED FLM 4w E14

Superlight®

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.
- Available in a choice of colour temperatures 3000K and 6500K.



PRODUCT DATA SHEET

Clear Candle | 4W

FEATURES:

Brand	Superlight
Wattage	4W
Equip. Wattage	Halogen 25W
Voltage	220-240V AC
Lamp Base	E14
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	250Lm
Colour	3000K/6500K
Dimensions	φ35x120mm
Warranty	One year

Model Number

CV LED FLM 4w E14

Superlight®

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.
- Available in a choice of colour temperatures 3000K and 6500K.

PRODUCT DATA SHEET

Opal Candle | 4W



FEATURES:

Brand	Superlight
Wattage	4W
Equiv. Wattage	Halogen 25W
Voltage	220-240V AC
Lamp Base	E14
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	250Lm
Colour	3000K/6500K
Dimensions	φ37x109mm
Warranty	One year

Model Number

LED 4w E14

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.
- Available in a choice of colour temperatures 3000K and 6500K.

PRODUCT DATA SHEET

G45 | 5W



FEATURES:

Brand	Superlight
Wattage	5W
Equiv. Wattage	Halogen 40W
Voltage	220-240V AC
Lamp Base	E27
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	410Lm/450Lm/450Lm
Colour	3000K/4000K/6500K
Dimensions	φ45x79mm
Warranty	One year

Model Number

G45 LED 5w E27

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.
- Available in a choice of colour temperatures 3000K, 4000K and 6500K.



PRODUCT DATA SHEET

TUBE | 9W

FEATURES:

Brand	Superlight
Wattage	9W
Equiv. Wattage	Halogen 60W
Voltage	220-240V AC
Lamp Base	E27
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	950Lm
Colour	3000K
Dimensions	φ37x116mm
Warranty	One year

Model Number

TUBE LED 9w E27

Superlight®

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.

PRODUCT DATA SHEET

TUBE | 12W



FEATURES:

Brand	Superlight
Wattage	12W
Equiv. Wattage	Halogen 80W
Voltage	220-240V AC
Lamp Base	E27
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	1200Lm
Colour	4000K/6500K
Dimensions	φ45x134mm
Warranty	One year

Model Number

TUBE LED 12w E27

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.
- Available in a choice of colour temperatures 4000K and 6500K.

Superlight®



PRODUCT DATA SHEET

A60 | 15W

FEATURES:

Brand	Superlight
Wattage	15W
Equiv. Wattage	Halogen 94W
Voltage	220-240V AC
Lamp Base	E27
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	1400Lm
Colour	3000K
Dimensions	φ60x120mm
Warranty	One year

Model Number

A60 LED 15w E27

Superlight®

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.

PRODUCT DATA SHEET

A60 | 15W



FEATURES:

Brand	Superlight
Wattage	15W
Equiv. Wattage	Halogen 88W
Voltage	175-250V AC
Lamp Base	E27
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	1350Lm
Colour	4000K
Dimensions	φ60x120mm
Warranty	One year

Model Number

A60 LED 15w E27

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.

Superlight®

PRODUCT DATA SHEET

A60 | 15W



FEATURES:

Brand	Superlight
Wattage	15W
Equip. Wattage	Halogen 88W
Voltage	175-250V AC
Lamp Base	E27
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	1350Lm
Colour	6500K
Dimensions	φ60x120mm
Warranty	One year

Model Number

A60 LED 15w E27

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.

Superlight®

PRODUCT DATA SHEET

A67 | 18W



FEATURES:

Brand	Superlight
Wattage	18W
Equiv. Wattage	Halogen 118W
Voltage	175-250V AC
Lamp Base	E27
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	1800Lm
Colour	6500K
Dimensions	φ67x135mm
Warranty	One year

Model Number

A67 LED 18w E27

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.

Superlight®

PRODUCT DATA SHEET

T140 | 50W



FEATURES:

Brand	Superlight
Wattage	50W
Equiv. Wattage	Halogen 350W
Voltage	220-240V AC
Lamp Base	E27
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	5000Lm
Colour	6500K
Dimensions	φ140x230mm
Warranty	One year

Model Number

T140 LED 50w E27

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.

PRODUCT DATA SHEET

Spot Light | 5W



FEATURES:

Brand	Superlight
Wattage	5W
Equiv. Wattage	Halogen 50W
Voltage	12V DC
Lamp Base	GU5.3
Beam Angle	36°
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	420Lm/450Lm
Colour	3000K/4000K
Dimensions	φ50x48mm
Warranty	One year

Model Number

12V Dic 5w

Superlight®

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.
- Available in a choice of colour temperatures 3000K and 4000K.

PRODUCT DATA SHEET

Spot Light | 7W



FEATURES:

Brand	Superlight
Wattage	7W
Equiv. Wattage	Halogen 70W
Voltage	12V DC
Lamp Base	GU5.3
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	500Lm
Colour	3000K/6500K
Dimensions	φ50x47mm
Warranty	One year

Model Number

12V LED 7w GU5.3

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.
- Available in a choice of colour temperatures 3000K and 6500K.

PRODUCT DATA SHEET

Spot Light | 4W



FEATURES:

Brand	Superlight
Wattage	4W
Equiv. Wattage	Halogen 25W
Supply current	31mA
Voltage	220-240V AC
Lamp Base	GU5.3
Beam Angle	110°
Lifetime	10.000 hours
CRI%	>70
Luminous Flux	250Lm
Colour	3000K/6500K
Dimensions	φ50x45mm
Cut-out size	41mm
Warranty	One year

Model Number

LED 4w GU5.3

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.
- Available in a choice of colour temperatures 3000K and 6500K.

PRODUCT DATA SHEET

Spot Light | 5W



FEATURES:

Brand	Superlight
Wattage	5W
Equiv. Wattage	Halogen 50W
Voltage	220-240V AC
Lamp Base	GU5.3
Beam Angle	110°
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	400Lm/450Lm
Colour	3000K/6500K
Dimensions	φ50x50mm
Warranty	One year

Model Number

LED Dic 5w

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.
- Available in a choice of colour temperatures 3000K and 6500K.

PRODUCT DATA SHEET

Spot Light | 6W



FEATURES:

Brand	Superlight
Wattage	6W
Equiv. Wattage	Halogen 60W
Supply current	47mA
Voltage	220-240V AC
Lamp Base	GU5.3
Beam Angle	110°
Lifetime	15.000 hours
CRI%	>70
Luminous Flux	550Lm
Colour	4000K/6500K
Dimensions	φ48x47mm
Cut-out size	43mm
Warranty	One years

Model Number

LED 6w GU5.3

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.
- Available in a choice of colour temperatures 4000K and 6500K.

PRODUCT DATA SHEET

Spot Light | 7W



FEATURES:

Brand	Superlight
Wattage	7W
Equiv. Wattage	Halogen 70W
Supply current	58mA
Voltage	220-240V AC
Lamp Base	GU5.3
Beam Angle	36°
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	600Lm
Colour	3000K/4000K/6500K
Dimensions	φ50x50mm
Warranty	One year

Model Number

LED 7w GU5.3

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.
- Available in a choice of colour temperatures 3000K, 4000K and 6500K.

PRODUCT DATA SHEET

Spot Light | 7W



FEATURES:

Brand	Superlight
Wattage	7W
Equiv. Wattage	Halogen 70W
Voltage	220-240V AC
Lamp Base	GU10
Beam Angle	36°
Lifetime	15.000 hours
CRI%	>80
Luminous Flux	520Lm/580Lm/580Lm
Colour	3000K/4000K/6500K
Dimensions	φ50x57mm
Warranty	One year

Model Number

LED 7w GU10

ADVANTAGES:

- High efficiency-energy saving over 80%
- Long life-15000 hours under normal use
- Eco friendly-no environmental-harmful elements
- Reliable-excellent driver system & efficient heat management
- High quality light without IR or UV radiation
- Fast response even in low temperature
- Compact size fits most fixtures

PRODUCT FEATURES:

- Using high lumen SMD light source.
- Using good reflectivity light, it is thinner and brighter, the light is more equally.
- Low voltage & constant current driver, no glare, the light is soft.
- No flashing, no noise, no radiation and energy saving.
- This product can show high brightness, without seeing the lamp itself.
- Available in a choice of colour temperatures 3000K, 4000K and 6500K.

LED BULB LIGHT

Summary

Page	Model Number	Decription	Power	Colour Temperature	Lumens
E14 Model					
01	CLR LED FLM 4w E14	φ37x109mm	4W	3000K	250Lm
02	CV LED FLM 4w E14	φ35x120mm	4W	3000K/6500K	250Lm
03	LED 4w E14	φ37x109mm	4W	3000K/6500K	250Lm
E27 Model					
04	G45 LED 5w E27	φ45x79mm	5W	3000K 4000K/6500K	410Lm 450Lm
05	TUBE LED 9w E27	φ37x116mm	9W	3000K	950Lm
06	TUBE LED 12w E27	φ45x134mm	12W	4000K/6500K	1200Lm
07	A60 LED 15w E27	φ60x120mm	15W	3000K	1400Lm
08				4000K	1350Lm
09				6500K	1350Lm
10	A67 LED 18w E27	φ67x135mm	18W	6500K	1800Lm
11	T140 LED 50w E27	φ140x230mm	50W	6500K	5000Lm
12V Model					
12	12V LED 5w GU5.3	φ50x48mm	5W	3000K 4000K	420Lm 450Lm
13	12V LED 7w GU5.3	φ50x47mm	7W	3000K/6500K	500Lm
GU5.3 Model					
14	LED 4w GU5.3	φ50x45mm	4W	3000K/6500K	250Lm
15	LED 5w GU5.3	φ50x50mm	5W	3000K 6500K	400Lm 450Lm
16	LED 6w GU5.3	φ48x47mm	6W	4000K/6500K	550Lm
17	LED 7w GU5.3	φ50x50mm	7W	3000K/4000K/6500K	600Lm
GU10 Model					
18	LED 7w GU10	φ50x57mm	7W	3000K 4000K/6500K	520Lm 580Lm