

The Commercial

LED Lighting Specialist

Superlight[®]

LED FLOOD LIGHTS SP-FL

PRODUCT CATEGORY DATA SHEET

PRODUCT DATA SHEET

LED Module Flood Light SP-FL | 50W



FEATURES:

| | |
|---------------|-------------------|
| Brand | Superlight |
| Wattage | 50W |
| Voltage | 220-240V AC |
| Lifetime | 30.000 hours |
| CRI% | >80 |
| Power Factor | >0.95 |
| LED Qty | 50pcs |
| Luminous Flux | 5.000Lm |
| Colour | 3000K/4000K/6500K |
| Dimensions | 245x123mm |
| Warranty | One year |

Model Number

SP-FL 50w Flood Light

PRODUCT FEATURES:

- IP65, isolated driver, much safer.
- 1w/pcs, light weight, easy to combine.
- Small size, save space,
more quantities for one container.
- Aluminum back cover, PC lens.
- High lumen output.
- Less light pollution, energy saving.

PRODUCT DATA SHEET

LED Module Flood Light SP-FL | 100W



FEATURES:

| | |
|---------------|-------------------|
| Brand | Superlight |
| Wattage | 100W |
| Voltage | 220-240V AC |
| Lifetime | 30.000 hours |
| CRI% | >80 |
| Power Factor | >0.95 |
| LED Qty | 100pcs |
| Luminous Flux | 10.000Lm |
| Colour | 3000K/4000K/6500K |
| Dimensions | 250x265mm |
| Warranty | One year |

Model Number

SP-FL 100w Flood Light

PRODUCT FEATURES:

- IP65, isolated driver, much safer.
- 1w/pcs, light weight, easy to combine.
- Small size, save space,
more quantities for one container.
- Aluminum back cover, PC lens.
- High lumen output.
- Less light pollution, energy saving.

PRODUCT DATA SHEET

LED Module Flood Light SP-FL | 150W



FEATURES:

| | |
|---------------|-------------------|
| Brand | Superlight |
| Wattage | 150W |
| Voltage | 220-240V AC |
| Lifetime | 30.000 hours |
| CRI% | >80 |
| Power Factor | >0.95 |
| LED Qty | 150pcs |
| Luminous Flux | 15.000Lm |
| Colour | 3000K/4000K/6500K |
| Dimensions | 250x405mm |
| Warranty | One year |

Model Number

SP-FL 150w Flood Light

PRODUCT FEATURES:

- IP65, isolated driver, much safer.
- 1w/pcs, light weight, easy to combine.
- Small size, save space,
more quantities for one container.
- Aluminum back cover, PC lens.
- High lumen output.
- Less light pollution, energy saving.

PRODUCT DATA SHEET

LED Module Flood Light SP-FL | 200W



FEATURES:

| | |
|---------------|-------------------|
| Brand | Superlight |
| Wattage | 200W |
| Voltage | 220-240V AC |
| Lifetime | 30.000 hours |
| CRI% | >80 |
| Power Factor | >0.95 |
| LED Qty | 200pcs |
| Luminous Flux | 20.000Lm |
| Colour | 3000K/4000K/6500K |
| Dimensions | 510x265mm |
| Warranty | One year |

Model Number

SP-FL 200w Flood Light

PRODUCT FEATURES:

- IP65, isolated driver, much safer.
- 1w/pcs, light weight, easy to combine.
- Small size, save space,
more quantities for one container.
- Aluminum back cover, PC lens.
- High lumen output.
- Less light pollution, energy saving.

PRODUCT DATA SHEET

LED Module Flood Light SP-FL | 300W



FEATURES:

| | |
|---------------|-------------------|
| Brand | Superlight |
| Wattage | 300W |
| Voltage | 220-240V AC |
| Lifetime | 30.000 hours |
| CRI% | >80 |
| Power Factor | >0.95 |
| LED Qty | 300pcs |
| Luminous Flux | 30.000Lm |
| Colour | 3000K/4000K/6500K |
| Dimensions | 510x405mm |
| Warranty | One year |

Model Number

SP-FL 300w Flood Light

PRODUCT FEATURES:

- IP65, isolated driver, much safer.
- 1w/pcs, light weight, easy to combine.
- Small size, save space,
more quantities for one container.
- Aluminum back cover, PC lens.
- High lumen output.
- Less light pollution, energy saving.

LED FLOOD LIGHT

Summary

| Model Number | Decription | Power | Colour Temperature | Lumens |
|------------------------|------------|-------|--------------------|---------|
| 50w Flood Light SP-FL | 245x123mm | 50W | 3000K/4000K/6500K | 5000Lm |
| 100w Flood Light SP-FL | 250x265mm | 100W | 3000K/4000K/6500K | 10000Lm |
| 150w Flood Light SP-FL | 250x405mm | 150W | 3000K/4000K/6500K | 15000Lm |
| 200w Flood Light SP-FL | 510x265mm | 200W | 3000K/4000K/6500K | 20000Lm |
| 300w Flood Light SP-FL | 510x405mm | 300W | 3000K/4000K/6500K | 30000Lm |